Index of Authors

Abreu, C., Jurgens, G., De Marco, P., Saano, A. & Bordalo, A.A. Crenarchaeota and Euryarchaeota in temperate estuarine sediments, 713
Addeo, F. *see* Mauriello, G.
Akan, M. *see* Aydin, F.
Alho, L. *see* Laranjo, M.
Allan, E.J. *see* Innes, C.M.J.
Allison, C. *see* Hodgson, R.J.
Al-Momani, F. *see* Saadoun, I.
Alviano, C.S. *see* Gomes, R.C.
Amarita, F., Requena, T., Taborda, G., Amigo, L. & Pelaez, C. *Lactobacillus casei* and *Lactobacillus plantarum* initiate catabolism of methionine by transamination, 971
Amigo, L. *see* Amarita, F.
Amr, S., Brown, M.B., Martin, G.P. & Forbes, B. Activation of clindamycin phosphate by human skin, 550
Andre, P. *see* Vidon, D.J.-M.
Andrew, P.W. *see* Beresford, M.R.
Aponte, M. *see* Villani, F.
Arena, M.E. & Manca De Nadra, M.C. Biogenic amine production by *Lactobacillus*, 158
Asensio, M.A. *see* Martín, A.
Ashbell, G. *see* Weinberg, Z.G.
Atabay, H.I. *see* Aydin, F.
Axelsson, L. *see* Nissen, H.
Ayad, E.H.E., Verheul, A., Engels, W.J.M., Wouters, J.T.M. & Smit, G. A microcalorimetric comparison of the anti-*Streptococcus mutans* efficacy of plant extracts and antimicrobial agents in oral hygiene formulations, 59
Aydin, F., Atabay, H.I. & Akan, M. The isolation and characterization of *Campylobacter jejuni* subsp. *jejuni* from domestic geese (*Anser anser*), 637

Babu, S. *see* Shanmugam, V.
Badet, M.C., Richard, B. & Dorignac, G. An *in vitro* study of the pH-lowering potential of salivary lactobacilli associated with dental caries, 1015
Bainton, N.J. *see* Naseby, D.C.
Balasubramanian, P. *see* Shanmugam, V.
Ball, H.J. *see* Kerr, P.
Banina, A. *see* Fira, D.
Baratéla, K.C., Saridakis, H.O., Gaziri, L.C.J. & Pelayo, J.S. Effects of medium composition, calcium, iron and oxygen on haemolysin production by *Plesiomonas shigelloides* isolated from water, 482
Barbe, J.-C., De Revel, G., Joyeux, A., Bertrand, A. & Lonvaud-Funel, A. Comparison of selective procedures for isolation and eumeration of *Legionella* species from hot water systems, 34
Basaran, N. *see* Basaran, P.
Basaran, P., Hang, Y.D., Basaran, N. & Worobo, R.W. Cloning and heterologous expression of xylanase from *Pichia stipitis* in *Escherichia coli*, 248
Bazin, M.J. *see* Pearce, D.A.
Beacham, I.R. *see* Beven, C.-A.
Beezer, A.E. *see* Morgan, T.D.
Bénézech, T. *see* Faille, C.
Benjamin, N. *see* Weller, R.
Bennik, M.H.J. *see* Karatzas, A.K.
Beresford, M.R., Andrew, P.W. & Shama, G. *Listeria monocytogenes* adheres to many materials found in food-processing environments, 1000
Beresford, T. *see* Fitzsimons, N.A.
Bertrand, A. *see* Barbe, J.-C.
Betts, W.B. *see* Pocock, M.J.O.
Beven, C.-A., Dieckelmann, M. & Beacham, I.R. A strain of *Pseudomonas fluorescens* with two lipase-encoding genes, one of which possibly encodes cytoplasmic lipolytic activity, 979
Bhattacharya, A. *see* Gulati, R.
Biswas, J.K. *see* Jana, B.B.
Blaiotta, G. *see* Coppola, S.
Blaiotta, G. *see* Villani, F.
Blair, I.S. *see* Duffy, G.
Blair, I.S. *see* Walsh, D.
Blair, I.S. *see* Walsh, D.
Bloemen, K. *see* Flint, S.
Blom, H. *see* Nissen, H.
Bonnet, E. *see* Vasserot, Y.
Boote, V. *see* Zarei Mahmoudabadi, A.
Bordalo, A.A. *see* Abreu, C.
Botrè, F. *see* Croci, L.
Boudakov, I. *see* Miteva, V.
Boze, H. *see* Issaly, N.
Brooks, J. *see* Flint, S.
Brooks, J.D. *see* Parkar, S.G.
Broomer, A. *see* Perry-O'keefe, H.
Brown, M.B. *see* Amr, S.
Bunch, A.W. *see* Morgan, T.D.
Bunch, R. *see* Mcsweeney, C.S.
Bunch, R.J. *see* Krause, D.O.
Buzzini, P. Batch and fed-batch carotenoid production by *Rhodotorula glutinis – Debaryomyces castellii* co-cultures in corn syrup, 843

Calderon, M., Loiseau, G. & Guyot, J.P. Nutritional requirements and simplified cultivation medium to study growth and energetics of a sourdough lactic acid bacterium *Lactobacillus fermentum* Ogi E1 during heterolactic fermentation of starch, 508
Campos, F.E. *see* Gray, J.T.
Cardinal, M. *see* Leroi, F.
Carlier, V. *see* Giovannacci, I.
Carr, E., Eason, H., Feng, S., Hoogenraad, A., Croome, R., Soddell, J., Lindrea, K. & Seviour, R. RAPD-PCR typing of *Acinetobacter* isolates from activated sludge systems designed to remove phosphorus microbiologically, 309
Carreira, A., Ferreira, L.M. & Loureiro, V. Production of brown tyrosine pigments by the yeast *Yarrowia lipolytica*, 372
Carson, J., Wagner, T., Wilson, T. & Donachie, L. Miniaturized tests for computer-assisted identification of motile *Aeromonas* species with an improved probability matrix, 190
Casas, N. & Suñén, E. Effect of the tropical forage calliandra on microbial protein synthesis and ecology in the rumen, 89
Cavadini, C. *see* O'Mahony, T.
Cazemier, A.E., Wagenaars, S.F.M. & Ter Steeg, P.F. Effect of sporulation and recovery medium on the heat resistance and amount of injury of spores from spoilage bacilli, 761
Cellini, L., Robuffo, I., Maraldi, N.M. & Donelli, G. Searching the point of no return in *Helicobacter pylori* life: necrosis and/or programmed death?, 727
Chaikina, E.L. *see* Ivanova, E.P.
Chakraborty, P. *see* Jana, B.B.
Chart, H. *see* Kerr, P.
Chart, H. *see* Nessa, J.
Chevalier, F. *see* Leroi, F.
Chulasiri, M. *see* Sookkhee, S.
Ciccaglioni, G. *see* Croci, L.
Cleveland, T.E. *see* Moyne, A.-L.
Coelho, R.R.R. *see* Gomes, R.C.
Coffey, A. *see* Maher, M.M.
Cogan, T. *see* Gobbetti, M.
Cogan, T.M. *see* Fitzsimons, N.A.
Condon, S. *see* Fitzsimons, N.A.
Connell, C., Rutter, A., Hill, B., Suller, M. & Lloyd, D. Encystation of *Acanthamoeba castellanii*: Dye uptake for assessment by flow cytometry and confocal laser scanning microscopy, 706
Conway, P. *see* O'Riordan, K.
Conway, P.L. *see* Henriksson, A.
Coppola, S. *see* Mauriello, G.
Coppola, S., Blaiotta, G., Ercolini, D. & Moschetti, G. Molecular evaluation of microbial diversity occurring in different types of Mozzarella cheese, 414
Córdoba, J.J. *see* Martín, A.
Côté, J.-C. *see* Joung, K.-B.
Coull, J. *see* Perry-O'keefe, H.
Couteau, D., McCartney, A.L., Gibson, G.R., Williamson, G. & Faulds, C.B. Isolation and characterization of human colonic bacteria able to hydrolyse chlorogenic acid, 873
Cozzi, L. *see* Croci, L.
Crawford, R. *see* Flint, S.
Crittenden, R.G., Morris, L.F., Harvey, M.L., Tran, L.T., Mitchell, H.L. & Playne, M.J. Selection of a *Bifidobacterium* strain to complement resistant starch in a synbiotic yoghurt, 268
Croci, L., Stacchini, A., Cozzi, L., Ciccaglioni, G., Mazzei, F., Botrè, F. & Toti, L. Human serum antibody response to *Helicobacter pylori* whole cell antigen in an institutionalized Bangladeshi population, 73
Croome, R. *see* Carr, E.
Crowe, M. *see* Moore, J.E.
Crudele, M.A. *see* Parente, E.
Crudele, M.A. *see* Parente, E.

Dalrymple, B.D. *see* Krause, D.O.
Daly, K. *see* Engelhardt, M.A.
Dankert, J.R. *see* Ocaña-Morgner, C.
De Marco, P. *see* Abreu, C.
De Revel, G. *see* Barbe, J.-C.
Défago, G. *see* Hase, C.
Diallo, A.A. *see* Gray, J.T.
Dieckelmann, M. *see* Beven, C.-A.
Dilasser, F. *see* Fach, P.
Dion, C. *see* Vasserot, Y.
Donachie, L. *see* Carson, J.
Donelli, G. *see* Cellini, L.
Donze, S. *see* Vidon, D.J.-M.
Dorignac, G. *see* Badet, M.C.
Dorsch, M.R. & Veal, D.A. Oligonucleotide probes for specific detection of *Giardia lamblia* cysts by fluorescent *in situ* hybridization, 836
Drasar, B. *see* Nessa, J.
Drucker, D.B. *see* Zarei Mahmoudabadi, A.
Duffy, G. *see* Walsh, D.
Duffy, G. *see* Walsh, D.
Duffy, G., Walsh, D., Sheridan, J.J., Logue, C.M., Harrington, D., Blair, I.S. & Mcdowell, D.A. Comparison of selective and non-selective enrichment

media in the detection of *Listeria monocytogenes* from meat containing *Listeria innocua*, 994
Duprè, I. *see* Sechi, L.A.

Early, E.M., Hardy, H., Forde, T. & Kane, M. Bactericidal effect of a whey protein concentrate with anti-*Helicobacter pylori* activity, 741
Eason, H. *see* Carr, E.
Èeškova, J. *see* Steinhauserova, I.
Elbetieha, A. *see* Saadoun, I.
Engasser, J.M. *see* Gorret, N.
Engasser, J.M. *see* Gorret, N.
Engelhardt, M.A., Daly, K., Swannell, R.P.J. & Head, I.M. Isolation and characterization of a novel hydrocarbon-degrading, Gram-positive bacterium, isolated from intertidal beach sediment, and description of *Planococcus alkanoclasticus* sp. nov., 237
Engels, W.J.M. *see* Ayad, E.H.E.
England, L.S., Trevors, J.T. & Holmes, S.B. Extraction and detection of baculoviral DNA from lake water, detritus and forest litter, 630
Entzmann, A. *see* Vidon, D.J.-M.
Ercolini, D. *see* Coppola, S.
Ermel, G. *see* Giovannacci, I.
Espim, M. *see* Sechi, L.A.

Fach, P., Perelle, S., Dilasser, F. & Grout, J. Comparison between a PCR-ELISA test and the vero cell assay for detecting Shiga toxin-producing *Escherichia coli* in dairy products and characterization of virulence traits of the isolated strains, 809
Fadda, G. *see* Sechi, L.A.
Faille, C., Fontaine, F. & Bénézech, T. Potential occurrence of adhering living *Bacillus* spores in milk product processing lines, 892
Faulds, C.B. *see* Couteau, D.
Feng, S. *see* Carr, E.
Ferré, J. *see* Hernández, C.S.
Ferreira, L.M. *see* Carreira, A.
Finlay, D. *see* Kerr, P.
Fira, D., Kojic, M., Banina, A., Spasojevic, I., Strahinic, I. & Topisirovic, L. Phylogenetic analysis of *Bacillus thuringiensis* serovars based on 16S rRNA gene restriction fragment length polymorphisms, 123
Fitzgerald, G.F. *see* O'Mahony, T.
Fitzsimons, N.A., Cogan, T.M., Condon, S. & Beresford, T. Spatial and temporal distribution of non-starter lactic acid bacteria in Cheddar cheese, 600
Flint, S., Palmer, J., Bloemen, K., Brooks, J. & Crawford, R. The growth of *Bacillus stearothermophilus* on stainless steel, 151
Flint, S.H. *see* Parkar, S.G.
Fojtikova, K. *see* Steinhauserova, I.
Fontaine, F. *see* Faille, C.
Forbes, B. *see* Amr, S.
Forde, T. *see* Early, E.M.
Fox, P.F. *see* Gobbetti, M.
Fujiwara, S., Seto, Y., Kimura, A. & Hashiba, H. Establishment of orally-administered *Lactobacillus gasseri* SBT2055SR in the gastrointestinal tract of humans and its influence on intestinal microflora and metabolism, 343
Fujiwara, S., Seto, Y., Kimura, A. & Hashiba, H. Role of botrytized grape micro-organisms in SO_2 binding phenomena, 43

Gadó, I. *see* Szakál, D.
Gallant, M. *see* Sattar, S.A.
Ganguly, S. *see* Jana, B.B.
Gardini, F. *see* Parente, E.
Gautier, M.F. *see* Issaly, N.
Gaziri, L.C.J. *see* Baratéla, K.C.
Ghoul, M. *see* Gorret, N.
Ghoul, M. *see* Gorret, N.
Gibson, G.R. *see* Couteau, D.
Gindreau, E., Walling, E. & Lonvaud-Funel, A. Direct polymerase chain reaction detection of ropy *Pediococcus damnosus* strains in wine, 535
Giovannacci, I., Queguiner, S., Ragimbeau, C., Salvat, G., Vendeuvre, J.L., Carlier, V. & Ermel, G. Characterization of cell envelope-associated proteinases of thermophilic lactobacilli, 131
Gobbetti, M., Smacchi, E., Semeraro, M., Fox, P.F., Lanciotti, R. & Cogan, T. Purification and characterization of an extracellular proline iminopeptidase from *Corynebacterium variabilis* NCDO 2101, 449
Gobius, K.S. *see* Krause, D.O.
Goldsmith, C.E. *see* Moore, J.E.
Gomes, R.C., Sêmedo, L.T.A.S., Soares, R.M.A., Linhares, L.F., Ulhoa, C.J., Alviano, C.S. & Coelho, R.R.R. Purification of a thermostable endochitinase from *Streptomyces* RC1071 isolated from a cerrado soil and its antagonism against phytopathogenic fungi, 653
Gonçalves, G. *see* Rodrigues, N.
Gorret, N., Maubois, J.L., Engasser, J.M. & Ghoul, M. Study of the effects of temperature, pH and yeast extract on growth and exopolysaccharides production by *Propionibacterium acidi-propionici* on milk microfiltrate using a response surface methodology, 788
Gorret, N., Maubois, J.L., Ghoul, M. & Engasser, J.M. Exopolysaccharide production by *Propionibacterium acidi-propionici* on milk microfiltrate, 779

Gorshkova, N.M. *see* Ivanova, E.P.
Gray, J.T., Wakabongo, M., Campos, F.E., Diallo, A.A., Tyndal, C. & Tucker, C.A. Recognition of *Yersinia enterocolitica* multiple strain infection in twin infants using PCR-based DNA fingerprinting, 358
Grieco, S. *see* Parente, E.
Grieco, S. *see* Parente, E.
Grill, J.P. *see* Perrin, S.
Grout, J. *see* Fach, P.
Gulati, R., Bhattacharya, A., Prasad, A.K., Gupta, R., Parmar, V.S. & Saxena, R.K. Biocatalytic potential of *Fusarium globulosum* lipase in selective acetylation/deacetylation reactions and in ester synthesis, 609
Gupta, R. *see* Gulati, R.
Guyot, J.P. *see* Calderon, M.

Hang, Y.D. *see* Basaran, P.
Hardy, H. *see* Early, E.M.
Harrington, C.S. *see* On, S.L.W.
Harrington, D. *see* Duffy, G.
Harrington, D. *see* Walsh, D.
Harvey, M.L. *see* Crittenden, R.G.
Hase, C., Nievergelt, J., Moënne-Loccoz, Y. & Défago, G. Survival of biocontrol *Pseudomonas fluorescens* CHA0 in lysimeter effluent water depends on time of the year and soil type, 567
Hashiba, H. *see* Fujiwara, S.
Hashiba, H. *see* Fujiwara, S.
Hayasawa, H. *see* Shin, K.
Head, I.M. *see* Engelhardt, M.A.
Heikkilä, M.P. *see* Niemi, R.M.
Heinonen, M. *see* Puupponen-Pimiä, R.
Hen, Y. *see* Weinberg, Z.G.
Henriksson, A. & Conway, P.L. Isolation of human faecal bifidobacteria which reduce signs of *Salmonella* infection when orogastrically dosed to mice, 223
Hernández, C.S., Ferré, J. & Larget-Thiéry, I. Update on the detection of β-exotoxin in *Bacillus thuringiensis* strains by HPLC analysis, 643
Hill, B. *see* Connell, C.
Hodgson, R.J., Lynch, R.J.M., Watson, G.K., Labarbe, R., Treloar, R. & Allison, C. A continuous culture biofilm model of cariogenic responses, 440
Holmes, S.B. *see* England, L.S.
Holo, H. *see* Nissen, H.
Hone, R. *see* Moore, J.E.
Hoogenraad, A. *see* Carr, E.
Hopia, A. *see* Puupponen-Pimiä, R.
Hudson, J.A., Lake, R.J., Savill, M.G., Scholes, P. & Mccormick, R.E. Rapid detection of *Listeria monocytogenes* in ham samples using immunomagnetic separation followed by polymerase chain reaction, 614
Hyldig-Nielsen, J.J. *see* Perry-O'keefe, H.
Hynes, S.H. *see* Thomas, K.C.

Ingledew, W.M. *see* Thomas, K.C.
Innes, C.M.J. & Allan, E.J. Induction, growth and antibiotic production of *Streptomyces viridifaciens* L-form bacteria, 301
Issaly, N., Solsona, O., Joudrier, P., Gautier, M.F., Moulin, G. & Boze, H. Optimization of the wheat puroindoline-a production in *Pichia pastoris*, 397
Ivanova, E.P., Zhukova, N.V., Gorshkova, N.M. & Chaikina, E.L. Characterization of *Aeromonas* and *Vibrio* species isolated from a drinking water reservoir, 919
Ivanova-Stoyancheva, G. *see* Miteva, V.

Jana, B.B., Chakraborty, P., Biswas, J.K. & Ganguly, S. Biogeochemical cycling bacteria as indices of pond fertilizaton: importance of CNP ratios of input fertilizers, 733
Jeandet, P. *see* Vasserot, Y.
Joffraud, J.J. *see* Leroi, F.
Jones, K. *see* Obiri-Danso, K.
Jordan, K.N. *see* Maher, M.M.
Joudrier, P. *see* Issaly, N.
Joung, K.-B. & Côté, J.-C. The application of a fermented food ingredient containing 'variacin', a novel antimicrobial produced by *Kocuria varians*, to control the growth of *Bacillus cereus* in chilled dairy products, 115
Joyeux, A. *see* Barbe, J.-C.
Jung, J.-K. *see* Kapat, A.
Jurgens, G. *see* Abreu, C.

Kähkönen, M. *see* Puupponen-Pimiä, R.
Kain, J. *see* Sattar, S.A.
Kaino, T. *see* Ringø, E.
Kalso, S. *see* Niemi, R.M.
Kane, M. *see* Early, E.M.
Kapadnis, B.P. *see* Nawani, N.N.
Kapat, A., Jung, J.-K. & Park, Y.-H. Enhancement of glucose oxidase production in batch cultivation of recombinant *Saccharomyces cerevisiae*: optimization of oxygen transfer condition, 216
Karatzas, A.K., Kets, E.P.W., Smid, E.J. & Bennik, M.H.J. The combined action of carvacrol and high hydrostatic pressure on *Listeria monocytogenes* Scott A, 463
Kerr, P., Chart, H., Finlay, D., Pollock, D.A., Mackie, D.P. & Ball, H.J. Development of monoclonal sandwich ELISA for the detection of animal and human *Escherichia coli* O157 strains, 543

Kets, E.P.W. *see* Karatzas, A.K.
Kimura, A. *see* Fujiwara, S.
Kimura, A. *see* Fujiwara, S.
Kojic, M. *see* Fira, D.
Krause, D.O. *see* Mcsweeney, C.S.
Krause, D.O., Bunch, R.J., Dalrymple, B.D., Gobius, K.S., Smith, W.J.M., Xue, G.-P. & Mcsweeney, C.S. Expression of a modified *Neocallimastix patriciarum* xylanase in *Butyrivibrio fibrisolvens* digests more fibre but cannot effectively compete with highly fibrolytic bacteria in the rumen, 388

Labarbe, R. *see* Hodgson, R.J.
Labuzek, S. & Radecka, I. Biosynthesis of PHB tercopolymer by *Bacillus cereus* UW85, 353
Lahti, K. *see* Niemi, R.M.
Lake, R.J. *see* Hudson, J.A.
Lanciotti, R. *see* Gobbetti, M.
Laranjo, M., Rodrigues, R., Alho, L. & Oliveira, S. Rhizobia of chickpea from southern Portugal: symbiotic efficiency and genetic diversity, 662
Larget-Thiéry, I. *see* Hernández, C.S.
Legnani, P.P. *see* Leoni, E.
Leifert, C. *see* Weller, R.
Leoni, E. & Legnani, P.P. Instructions to authors, 27
Leroi, F., Joffraud, J.J., Chevalier, F. & Cardinal, M. Research of quality indices for cold-smoked salmon using a stepwise multiple regression of microbiological counts and physico-chemical parameters, 578
Lezcano, I. *see* Sechi, L.A.
Lindrea, K. *see* Carr, E.
Linhares, L.F. *see* Gomes, R.C.
Liu, B.-Y. *see* Su, J.-J.
Liu, C.-Y. *see* Su, J.-J.
Liu, S. *see* Zhou, J.
Liu, Y. & Tay, J.-H. Metabolic response of biofilm to shear stress in fixed-film culture, 337
Lloyd, D. *see* Connell, C.
Lluch, C. *see* Soussi, M.
Lødemel, J.B. *see* Ringø, E.
Logue, C.M. *see* Duffy, G.
Loiseau, G. *see* Calderon, M.
Lönnerdal, B. *see* Shin, K.
Lonvaud-Funel, A. *see* Barbe, J.-C.
Lonvaud-Funel, A. *see* Gindreau, E.
López, M.J., Moreno, J. & Ramos-Cormenzana, A. The effect of olive mill wastewaters variability on xanthan production, 829
Loureiro, V. *see* Carreira, A.
Loureiro, V. *see* Rodrigues, N.
Lucas, M.L. A REVIEW: A reconsideration of the evidence for *Escherichia coli* STa (heat stable) enterotoxin-driven fluid secretion: a new view of STa action and a new paradigm for fluid absorption, 7
Lynch, J.M. *see* Naseby, D.C.
Lynch, J.M. *see* Pearce, D.A.
Lynch, R.J.M. *see* Hodgson, R.J.

Mackie, D.P. *see* Kerr, P.
Maher, M.M., Jordan, K.N., Upton, M.E. & Coffey, A. Growth and survival of *E. coli* O157:H7 during the manufacture and ripening of a smear-ripened cheese produced from raw milk, 201
Malaoui, H. & Marczak, R. Separation and characterization of the 1,3-propanediol and glycerol dehydrogenase activities from *Clostridium butyricum* E5 wild-type and mutant D, 1006
Malfeito-Ferreira, M. *see* Rodrigues, N.
Manca De Nadra, M.C. *see* Arena, M.E.
Mani, S. *see* Sattar, S.A.
Maraldi, N.M. *see* Cellini, L.
Marczak, R. *see* Malaoui, H.
Marinova, B. *see* Miteva, V.
Martín, A., Córdoba, J.J., Rodríguez, M.M., Núñez, F. & Asensio, M.A. Evaluation of microbial proteolysis in meat products by capillary electrophoresis, 163
Martin, G.P. *see* Amr, S.
Martuscelli, M. *see* Parente, E.
Maubois, J.L. *see* Gorret, N.
Maubois, J.L. *see* Gorret, N.
Maujean, A. *see* Vasserot, Y.
Mauriello, G. *see* Villani, F.
Mauriello, G., Moio, L., Moschetti, G., Piombino, P., Addeo, F. & Coppola, S. Characterization of lactic acid bacteria strains on the basis of neutral volatile compounds produced in whey, 928
Mayhew, T.M. *see* Ringø, E.
Mayo, M.A. *see* Thirumala-Devi, K.
Mazzei, F. *see* Croci, L.
Mccartney, A.L. *see* Couteau, D.
Mcclurg, R.B. *see* Moore, J.E.
Mccormick, R.E. *see* Hudson, J.A.
Mcdowell, D.A. *see* Duffy, G.
Mcdowell, D.A. *see* Walsh, D.
Mcdowell, D.A. *see* Walsh, D.
Mckellar, R.C. Development of a dynamic continuous-discrete-continuous model describing the lag phase of individual bacterial cells, 407
Mcsweeney, C.S. *see* Krause, D.O.

Mcsweeney, C.S., Palmer, B., Bunch, R. & Krause, D.O. Evaluation of rapid methods for the determination of okadaic acid in mussels, 78
Meier, C. *see* Puupponen-Pimiä, R.
Mengaud, J. *see* Miteva, V.
Meqdam, M. *see* Saadoun, I.
Millar, B.C. *see* Moore, J.E.
Miller, J.S. *see* Thirumala-Devi, K.
Mitchell, H.L. *see* Crittenden, R.G.
Mitchell, J.C. *see* Morgan, T.D.
Mitev, V. *see* Miteva, V.
Miteva, V., Boudakov, I., Ivanova-Stoyancheva, G., Marinova, B., Mitev, V. & Mengaud, J. Differentiation of *Lactobacillus delbrueckii* subspecies by ribotyping and amplified ribosomal DNA restriction analysis (ARDRA), 909
Moënne-Loccoz, Y. *see* Hase, C.
Moio, L. *see* Mauriello, G.
Molicotti, P. *see* Sechi, L.A.
Moore, J.E., Millar, B.C., Yongmin, X., Woodford, N., Vincent, S., Goldsmith, C.E., Mcclurg, R.B., Crowe, M., Hone, R. & Murphy, P.G. A rapid molecular assay for the detection of antibiotic resistance determinants in causal agents of infective endocarditis, 719
Moreno, J. *see* López, M.J.
Morgan, T.D., Beezer, A.E., Mitchell, J.C. & Bunch, A.W. Intestinal transit of an orally administered streptomycin-rifampicin-resistant variant of *Bifidobacterium longum* SBT2928: its long-term survival and effect on the intestinal microflora and metabolism, 53
Morris, L.F. *see* Crittenden, R.G.
Moschetti, G. *see* Coppola, S.
Moschetti, G. *see* Mauriello, G.
Moschetti, G. *see* Villani, F.
Moulin, G. *see* Issaly, N.
Moyne, A.-L., Shelby, R., Cleveland, T.E. & Tuzun, S. Bacillomycin D: an iturin with antifungal activity against *Aspergillus flavus*, 622
Muljadi, N. *see* O'Riordan, K.
Muller, C. *see* Vidon, D.J.-M.
Murphy, P.G. *see* Moore, J.E.
Myklebust, R. *see* Ringø, E.

Nair, R.C. *see* Sattar, S.A.
Nandakumar, R. *see* Shanmugam, V.
Naseby, D.C., Way, J.A., Bainton, N.J. & Lynch, J.M. Biocontrol of *Pythium* in the pea rhizosphere by antifungal metabolite producing and non-producing *Pseudomonas* strains, 421
Nawani, N.N. & Kapadnis, B.P. One-step purification of chitinase from *Serratia marcescens* NK1, a soil isolate, 803
Nessa, J., Chart, H., Owen, R.J. & Drasar, B. Enhanced flavour formation by combination of selected lactococci from industrial and artisanal origin with focus on completion of a metabolic pathway, 68
Niemelä, S.I. *see* Niemi, R.M.
Niemi, R.M., Heikkilä, M.P., Lahti, K., Kalso, S. & Niemelä, S.I. Comparison of methods for determining the numbers and species distribution of coliform bacteria in well water samples, 850
Nievergelt, J. *see* Hase, C.
Nigam, J.N. Development of xylose-fermenting yeast *Pichia stipitis* for ethanol production through adaptation on hardwood hemicellulose acid prehydrolysate, 208
Nissen, H., Holo, H., Axelsson, L. & Blom, H. Characterization and growth of *Bacillus* spp. in heat-treated cream with and without nisin, 530
Nohynek, L. *see* Puupponen-Pimiä, R.
Núñez, F. *see* Martín, A.
Nunez, N. *see* Sechi, L.A.
Nychas, G.-J.E. *see* Tsigarida, E.

O'Mahony, T., Rekhif, N., Cavadini, C. & Fitzgerald, G.F. Molecular characterization and diversity of thermophilic iron-reducing enrichment cultures from deep subsurface environments, 106
O'Riordan, K., Muljadi, N. & Conway, P. Characterization of factors affecting attachment of *Bifidobacterium* species to amylomaize starch granules, 749
Obeidat, M. *see* Saadoun, I.
Obiri-Danso, K., Paul, N. & Jones, K. The effects of UVB and temperature on the survival of natural populations and pure cultures of *Campylobacter jejuni*, *Camp. coli*, *Camp. lari* and urease-positive thermophilic campylobacters (UPTC) in surface waters, 256
Obrovska, I. *see* Steinhauserova, I.
Ocaña, A. *see* Soussi, M.
Ocaña-Morgner, C. & Dankert, J.R. Induction of complement sensitivity in *Escherichia coli* by citric acid and low pH, 771
Oksman-Caldentey, K.-M. *see* Puupponen-Pimiä, R.
Oliveira, K. *see* Perry-O'keefe, H.
Oliveira, S. *see* Laranjo, M.
Olsen, R.E. *see* Ringø, E.
On, S.L.W. & Harrington, C.S. Evaluation of numerical analysis of PFGE-DNA profiles for differentiating *Campylobacter fetus* subspecies by comparison with phenotypic, PCR, and 16S rDNA sequencing methods, 285

Ørmen, Ø. & Østensvik, Ø. The occurrence of aerolysin-positive *Aeromonas* spp. and their cytotoxicity in Norwegian water sources, 797
Ormerod, A.D. *see* Weller, R.
Østensvik, Ø. *see* Ørmen, Ø.
Owen, R.J. *see* Nessa, J.

Pál, T. *see* Szakál, D.
Palmer, B. *see* Mcsweeney, C.S.
Palmer, J. *see* Flint, S.
Palmer, J.S. *see* Parkar, S.G.
Palumbo, A.V. *see* Zhou, J.
Parente, E., Grieco, S. & Crudele, M.A. Phenotypic diversity of lactic acid bacteria isolated from fermented sausages produced in Basilicata (Southern Italy), 943
Parente, E., Martuscelli, M., Gardini, F., Grieco, S., Crudele, M.A. & Suzzi, G. Evolution of microbial populations and biogenic amine production in dry sausages produced in Southern Italy, 882
Park, Y.-H. *see* Kapat, A.
Parkar, S.G., Flint, S.H., Palmer, J.S. & Brooks, J.D. Factors influencing attachment of thermophilic bacilli to stainless steel, 901
Parmar, V.S. *see* Gulati, R.
Paul, N. *see* Obiri-Danso, K.
Pearce, D.A., Bazin, M.J. & Lynch, J.M. The impact of flow rate (simulated leaching) on plasmid transfer frequency between bacteria in a model rhizosphere system, 953
Pelaez, C. *see* Amarita, F.
Pelayo, J.S. *see* Baratéla, K.C.
Pepe, O. *see* Villani, F.
Pereira-Da-Silva, S. *see* Rodrigues, N.
Perelle, S. *see* Fach, P.
Perrin, S., Warchol, M., Grill, J.P. & Schneider, F. Fermentations of fructo-oligosaccharides and their components by *Bifidobacterium infantis* ATCC 15697 on batch culture in semi-synthetic medium, 859
Perry-O'keefe, H., Stender, H., Broomer, A., Oliveira, K., Coull, J. & Hyldig-Nielsen, J.J. Filter-based PNA *in situ* hybridization for rapid detection, identification and enumeration of specific micro-organisms, 180
Phelps, T.J. *see* Zhou, J.
Pinna, A. *see* Sechi, L.A.
Piombino, P. *see* Mauriello, G.
Playne, M.J. *see* Crittenden, R.G.
Pocock, M.J.O., Searle, J.B., Betts, W.B. & White, P.C.L. Patterns of infection by *Salmonella* and *Yersinia* spp. in commensal house mouse (*Mus musculus domesticus*) populations, 755
Pollock, D.A. *see* Kerr, P.
Prachyabrued, W. *see* Sookkhee, S.
Prasad, A.K. *see* Gulati, R.
Price, R.J. *see* Weller, R.
Puupponen-Pimiä, R., Nohynek, L., Meier, C., Kähkönen, M., Heinonen, M., Hopia, A. & Oksman-Caldentey, K.-M. Antimicrobial properties of phenolic compounds from berries, 494

Queguiner, S. *see* Giovannacci, I.

Radecka, I. *see* Labuzek, S.
Ragimbeau, C. *see* Giovannacci, I.
Raguchander, T. *see* Shanmugam, V.
Ramos-Cormenzana, A. *see* López, M.J.
Reddy, D.V.R. *see* Thirumala-Devi, K.
Reddy, G. *see* Thirumala-Devi, K.
Rekhif, N. *see* O'Mahony, T.
Requena, T. *see* Amarita, F.
Richard, B. *see* Badet, M.C.
Ringø, E., Lødemel, J.B., Myklebust, R., Kaino, T., Mayhew, T.M. & Olsen, R.E. Epithelium-associated bacteria in the gastrointestinal tract of Arctic charr (*Salvelinus alpinus* L.). An electron microscopical study, 294
Robuffo, I. *see* Cellini, L.
Rodrigues, N., Gonçalves, G., Pereira-Da-Silva, S., Malfeito-Ferreira, M. & Loureiro, V. Development and use of a new medium to detect yeasts of the genera *Dekkera/Brettanomyces*, 588
Rodrigues, R. *see* Laranjo, M.
Rodríguez, M.M. *see* Martín, A.
Rossi, F., Tofalo, R., Torriani, S. & Suzzi, G. Identification by 16S–23S rDNA intergenic region amplification, genotypic and phenotypic clustering of *Staphylococcus xylosus* strains from dry sausages, 365
Rowbury, R.J. A review: Cross-talk involving extracellular sensors and extracellular alarmones gives early warning to unstressed *Escherichia coli* of impending lethal chemical stress and leads to induction of tolerance responses, 677
Rutter, A. *see* Connell, C.

Saadoun, I., Al-Momani, F., Obeidat, M., Meqdam, M. & Elbetieha, A. Assessment of toxic potential of local Jordanian *Bacillus thuringiensis* strains on *Drosophila melanogaster* and *Culex* sp. (Diptera), 866
Saano, A. *see* Abreu, C.
Salvat, G. *see* Giovannacci, I.
Samiyappan, R. *see* Shanmugam, V.
Santamaría, M. *see* Soussi, M.
Saridakis, H.O. *see* Baratéla, K.C.

Sattar, S.A., Springthorpe, S., Mani, S., Gallant, M., Nair, R.C., Scott, E. & Kain, J. Transfer of bacteria from fabrics to hands and other fabrics: development and application of a quantitative method using *Staphylococcus aureus* as a model, 962
Savill, M.G. *see* Hudson, J.A.
Saxena, R.K. *see* Gulati, R.
Schneider, F. *see* Perrin, S.
Scholes, P. *see* Hudson, J.A.
Scott, E. *see* Sattar, S.A.
Searle, J.B. *see* Pocock, M.J.O.
Sechi, L.A., Lezcano, I., Nunez, N., Espim, M., Duprè, I., Pinna, A., Molicotti, P., Fadda, G. & Zanetti, S. Antibacterial activity of ozonized sunflower oil (Oleozon), 279
Sêmedo, L.T.A.S. *see* Gomes, R.C.
Semeraro, M. *see* Gobbetti, M.
Seto, Y. *see* Fujiwara, S.
Seto, Y. *see* Fujiwara, S.
Seviour, R. *see* Carr, E.
Shama, G. *see* Beresford, M.R.
Shanmugam, V., Sriram, S., Babu, S., Nandakumar, R., Raguchander, T., Balasubramanian, P. & Samiyappan, R. Purification and characterization of an extracellular α-glucosidase protein from *Trichoderma viride* which degrades a phytotoxin associated with sheath blight disease in rice, 320
Shelby, R. *see* Moyne, A.-L.
Sheridan, J.J. *see* Duffy, G.
Sheridan, J.J. *see* Walsh, D.
Sheridan, J.J. *see* Walsh, D.
Shin, K., Hayasawa, H. & Lönnerdal, B. Inhibition *Escherichia coli* respiratory enzymes by the lactoperoxidase-hydrogen peroxide-thiocyanate antimicrobial system, 489
Smacchi, E. *see* Gobbetti, M.
Smid, E.J. *see* Karatzas, A.K.
Smit, G. *see* Ayad, E.H.E.
Smith, W.J.M. *see* Krause, D.O.
Soares, R.M.A. *see* Gomes, R.C.
Soddell, J. *see* Carr, E.
Solsona, O. *see* Issaly, N.
Sookkhee, S., Chulasiri, M. & Prachyabrued, W. Lactic acid bacteria from healthy oral cavity of Thai volunteers: inhibition of oral pathogens, 172
Soussi, M., Santamaría, M., Ocaña, A. & Lluch, C. Effects of salinity on protein and lipopolysaccharide pattern in a salt-tolerant strain of *Mesorhizobium ciceri*, 476
Spasojevic, I. *see* Fira, D.
Springthorpe, S. *see* Sattar, S.A.
Sriram, S. *see* Shanmugam, V.
Stacchini, A. *see* Croci, L.
Steinhauserova, I., Èeškova, J., Fojtikova, K. & Obrovska, I. Identification of thermophilic *Campylobacter* spp. by phenotypic and molecular methods, 470
Stender, H. *see* Perry-O'keefe, H.
Stewart-Tull, D.E.S. Editorial, 849
Strahinic, I. *see* Fira, D.
Su, J.-J., Liu, B.-Y. & Liu, C.-Y. Comparison of aerobic denitrification under high oxygen atmosphere by *Thiosphaera pantotropha* ATCC 35512 and *Pseudomonas stutzeri* SU2 newly isolated from the activated sludge of a piggery wastewater treatment system, 457
Suller, M. *see* Connell, C.
Suñén, E. *see* Casas, N.
Suzzi, G. *see* Parente, E.
Suzzi, G. *see* Rossi, F.
Swannell, R.P.J. *see* Engelhardt, M.A.
Szakacs, G. *see* Weinberg, Z.G.
Szakál, D., Gadó, I. & Pál, T. A colony blot immunoassay to detect enteroinvasive *Escherichia coli* and *Shigella* in water samples, 229

Taborda, G. *see* Amarita, F.
Tay, J.-H. *see* Liu, Y.
Ter Steeg, P.F. *see* Cazemier, A.E.
Thirumala-Devi, K., Miller, J.S., Reddy, G., Reddy, D.V.R. & Mayo, M.A. Phage-displayed peptides that mimic aflatoxin B1 in serological reactivity, 330
Thomas, K.C., Hynes, S.H. & Ingledew, W.M. Effect of lactobacilli on yeast growth, viability and batch and semi-continuous alcoholic fermentation of corn mash, 819
Tofalo, R. *see* Rossi, F.
Topisirovic, L. *see* Fira, D.
Torriani, S. *see* Rossi, F.
Toti, L. *see* Croci, L.
Tran, L.T. *see* Crittenden, R.G.
Treloar, R. *see* Hodgson, R.J.
Trevors, J.T. *see* England, L.S.
Tsigarida, E. & Nychas, G.-J.E. Ecophysiological attributes of a *Lactobacillus* sp. and a *Pseudomonas* sp. on sterile beef fillets in relation to storage temperature and film permeability, 696
Tucker, C.A. *see* Gray, J.T.
Tuzun, S. *see* Moyne, A.-L.
Tyndal, C. *see* Gray, J.T.

Ulhoa, C.J. *see* Gomes, R.C.
Upton, M.E. *see* Maher, M.M.

Vasserot, Y., Dion, C., Bonnet, E., Maujean, A. & Jeandet, P. A study into the role of L-aspartic acid in the metabolism of L-malic acid and D-glucose by *Oenococcus œni*, 380
Veal, D.A. *see* Dorsch, M.R.
Vendeuvre, J.L. *see* Giovannacci, I.
Verheul, A. *see* Ayad, E.H.E.
Verstraete, W. *see* Xu, J.
Vidon, D.J.-M., Donze, S., Muller, C., Entzmann, A. & Andre, P. A simple chemiluminescence-based method for rapid enumeration of *Listeria* spp. microcolonies, 988
Villani, F., Aponte, M., Blaiotta, G., Mauriello, G., Pepe, O. & Moschetti, G. Detection and characterization of a bacteriocin, garviecin L1-5, produced by *Lactococcus garvieae* isolated from raw cow's milk, 430
Vincent, S. *see* Moore, J.E.

Wagenaars, S.F.M. *see* Cazemier, A.E.
Wagner, T. *see* Carson, J.
Wakabongo, M. *see* Gray, J.T.
Walling, E. *see* Gindreau, E.
Walsh, D. *see* Duffy, G.
Walsh, D., Duffy, G., Sheridan, J.J., Blair, I.S. & Mcdowell, D.A. Antibiotic resistance among *Listeria*, including *Listeria monocytogenes*, in retail foods, 517
Walsh, D., Sheridan, J.J., Duffy, G., Blair, I.S., Mcdowell, D.A. & Harrington, D. Thermal resistance of wild-type and antibiotic-resistant *Listeria monocytogenes* in meat and potato substrates, 555
Warchol, M. *see* Perrin, S.
Watson, G.K. *see* Hodgson, R.J.
Way, J.A. *see* Naseby, D.C.
Weinberg, Z.G., Szakacs, G., Ashbell, G. & Hen, Y. The effect of temperature on the ensiling process of corn and wheat, 561
Weller, R., Price, R.J., Ormerod, A.D., Benjamin, N. & Leifert, C. Antimicrobial effect of acidified nitrite on dermatophyte fungi, *Candida* and bacterial skin pathogens, 648
White, P.C.L. *see* Pocock, M.J.O.
Williamson, G. *see* Couteau, D.
Wilson, T. *see* Carson, J.
Woodford, N. *see* Moore, J.E.
Worobo, R.W. *see* Basaran, P.
Wouters, J.T.M. *see* Ayad, E.H.E.

Xia, B. *see* Zhou, J.
Xu, J., Xu, X. & Verstraete, W. The bactericidal effect and chemical reactions of acidified nitrite under conditions simulating the stomach, 523
Xu, X. *see* Xu, J.
Xue, G.-P. *see* Krause, D.O.

Yongmin, X. *see* Moore, J.E.

Zanetti, S. *see* Sechi, L.A.
Zarei Mahmoudabadi, A., Boote, V. & Drucker, D.B. Characterization of polar lipids of oral isolates of *Candida*, *Pichia* and *Saccharomyces* by Fast Atom Bombardment Mass Spectrometry (FAB MS), 668
Zhang, C. *see* Zhou, J.
Zhou, J., Liu, S., Xia, B., Zhang, C., Palumbo, A.V. & Phelps, T.J. Detection of enterovirus and hepatitis A virus RNA in mussels (*Mytilus* spp.) by reverse transcriptase-polymerase chain reaction, 96
Zhukova, N.V. *see* Ivanova, E.P.

Index of Subjects

α-glucosidase from *Trichoderma viride* (V. Shanmugam, S. Sriram, S. Babu, R. Nandakumar, T. Raguchander, P. Balasubramanian & R. Samiyappan) 320
A baculoviral DNA extraction method (L.S. England, J.T. Trevors & S.B. Holmes) 630
Acinetobacter from activated sludge (E. Carr, H. Eason, S. Feng, A. Hoogenraad, R. Croome, J. Soddell, K. Lindrea & R. Seviour) 309
Activation of clindamycin phosphate by human skin (S. Amr, M.B. Brown, G.P. Martin & B. Forbes) 550
Aerobic denitrification under high oxygen atmosphere by *Ps. stutzeri* SU2 (J.-J. Su, B.-Y. Liu & C.-Y. Liu) 457
Aerolysin in environmental *Aeromonas* spp. (Ø. Ørmen & Ø. Østensvik) 797
Aeromonas and *Vibrio* species (E.P. Ivanova, N.V. Zhukova, N.M. Gorshkova & E.L. Chaikina) 919
A hydrocarbon-degrading *Planococcus* sp. (M.A. Engelhardt, K. Daly, R.P.J. Swannell & I.M. Head) 237
Amines production by *Lactobacillus* (M.E. Arena & M.C. Manca de Nadra) 158
Antibiotic-resistant *Listeria* in foods (D. Walsh, G. Duffy, J.J. Sheridan, I.S. Blair & D.A. McDowell) 517
Antimicrobial effect of acidified nitrite (R. Weller, R.J. Price, A.D. Ormerod, N. Benjamin & C. Leifert) 648
Antimicrobial phenolic compounds (R. Puupponen-Pimiä, L. Nohynek, C. Meier, M. Kähkönen, M. Heinonen, A. Hopia & K.-M. Oksman-Caldentey) 494
Archaea in estuarine sediments (C. Abreu, G. Jurgens, P. De Marco, A. Saano & A.A. Bordalo) 713
Assessment of viability and encystation of *A. castellanii* (C. Connell, A. Rutter, B. Hill, M. Suller & D. Lloyd) 706
Attachment and growth of *Bacillus* (S. Flint, J. Palmer, K. Bloemen, J. Brooks & R. Crawford) 151

Bacillomycin D antifungal against *A. flavus* (A.-L. Moyne, R. Shelby, T.E. Cleveland & S. Tuzun) 622
Bacillus in heat-treated cream (H. Nissen, H. Holo, L. Axelsson & H. Blom) 530
Bacillus spores in milk processing lines (C. Faille, F. Fontaine & T. Bénézech) 892
Bacteria in the gastrointestinal tract of Arctic charr (E. Ringø, J.B. Lødemel, R. Myklebust, T. Kaino, T.M. Mayhew & R.E. Olsen) 294
Bacterial transfer to and from fabrics (S.A. Sattar, S. Springthorpe, S. Mani, M. Gallant, R.C. Nair, E. Scott & J. Kain) 962
Bactericidal anti-*H. pylori* WPC (E.M. Early, H. Hardy, T. Forde & M. Kane) 741
Bactericidal effect of acidified nitrite (J. Xu, X. Xu & W. Verstraete) 523
Binding of Bifidobacteria to starch (K. O'Riordan, N. Muljadi & P. Conway) 749
Biofilm model of cariogenic responses (R.J. Hodgson, R.J.M. Lynch, G.K. Watson, R. Labarbe, R. Treloar & C. Allison) 440
Biogenic amines in dry sausages (E. Parente, M. Martuscelli, F. Gardini, S. Grieco, M.A. Crudele & G. Suzzi) 882
Biogeochemical cycling bacteria in ponds (B.B. Jana, P. Chakraborty, J.K. Biswas & S. Ganguly) 733
Biosynthesis of tercopolymer (S. Labuzek & I. Radecka) 353

Carotenoid production by yeast co-cultures (P. Buzzini) 843
Characterization of recombinant xylanolytic *Butyrivibrio fibrisolvens* (D.O. Krause, R.J. Bunch, B.D. Dalrymple, K.S. Gobius, W.J.M. Smith, G.-P. Xue & C.S. McSweeney) 388
Chemiluminescence-based counting of *Listeria* spp. (D.J.-M. Vidon, S. Donze, C. Muller, A. Entzmann & P. Andre) 988
Chitinase from *Serratia marcescens* NK1 (N.N. Nawani & B.P. Kapadnis) 803
Clostridium butyricum dehydrogenases (H. Malaoui & R. Marczak) 1006
Coliform methods and species (R.M. Niemi, M.P. Heikkilä, K. Lahti, S. Kalso & S.I. Niemelä) 850
Colonization of *Lact. gasseri* (strain Yukijirushi) (S. Fujiwara, Y. Seto, A. Kimura & H. Hashiba) 343
Combined action of carvacrol and high pressure A.K. Karatzas, E.P.W. Kets, E.J. Smid & M.H.J. Bennik) 463
Control the growth of *B. cereus* in chilled dairy foods (T. O'Mahony, N. Rekhif, C. Cavadini & G.F. Fitzgerald) 106

Detection of *Listeria monocytogenes* and *L. innocua* (G. Duffy, D. Walsh, J.J. Sheridan, C.M. Logue, D. Harrington, I.S. Blair & D.A. McDowell) 994
Dekkera in wine environments (N. Rodrigues, G. Gonçalves, S. Pereira-da-Silva, M. Malfeito-Ferreira & V. Loureiro) 588
Development of monoclonal sandwich ELISA for *E. coli* O157 (P. Kerr, H. Chart, D. Finlay, D.A. Pollock, D.P. Mackie & H.J. Ball) 543
Discrete model for lag phase (R.C. McKellar) 407
Distribution of non-starter LAB in Cheddar (N.A. Fitzsimons, T.M. Cogan, S. Condon & T. Beresford) 600

E. coli STa and inhibition of intestinal fluid absorption (M.L. Lucas) 7
Ecophysiological attributes of meat spoilage bacteria (E. Tsigarida, G.-J.E. Nychas) 696
Effect of calliandra on rumen microbial ecology (C.S. McSweeney, B. Palmer, R. Bunch & D.O. Krause) 78
Effect of temperature on ensiling (Z.G. Weinberg, G. Szakacs, G. Ashbell & Y. Hen) 561
Effects of salinity on *M. ciceri* (M. Soussi, M. Santamaría, A. Ocaña & C. Lluch) 476
EIEC and *Shigella* in water samples (D. Szakál, I. Gadó & T. Pál) 229
Enhanced flavour formation by lactococci (E.H.E. Ayad, A. Verheul, W.J.M. Engels, J.T.M. Wouters & G. Smit) 59
Esterase-producing gut bacteria (D. Couteau, A.L. McCartney, G.R. Gibson, G. Williamson & C.B. Faulds) 873
Evaluation of microbial proteolysis by CE (A. Martín, J.J. Córdoba, M.M. Rodríguez, F. Núñez & M.A. Asensio) 163

FISH detection of *Giardia lamblia* (M.R. Dorsch & D.A. Veal)
Flow rate and plasmid transfer (D.A. Pearce, M.J. Bazin & J.M. Lynch) 953
FOS fermentation by Bifidobacteria (S. Perrin, M. Warchol, J.P. Grill & F. Schneider) 859

Haemolysin production by *Ple. shigelloides* (K.C. Baratéla, H.O. Saridakis, L.C.J. Gaziri & J.S. Pelayo) 482
Helicobacter pylori antibody in Bangladeshi population (J. Nessa, H. Chart, R.J. Owen & B. Drasar) 68
HPLC analysis of β-exotoxin in *B. thuringiensis* (C.S. Hernández, J. Ferré & I. Larget-Thiéry) 643

Identification of motile Aeromonads (J. Carson, T. Wagner, T. Wilson & L. Donachie) 190
Inhibition of *E. coli* respiratory enzymes (K. Shin, H. Hayasawa & B. Lönnerdal) 489
Inhibition of Salmonellae (A. Henriksson & P.L. Conway) 223
Intestinal transit of BL2928SR (S. Fujiwara, Y. Seto, A. Kimura & H. Hashiba) 43
Intra-species clustering of *Staph. xylosus* (F. Rossi, R. Tofalo, S. Torriani & G. Suzzi) 365
Iron-reducing enrichment diversity (J. Zhou, S. Liu, B. Xia, C. Zhang, A.V. Palumbo & T.J. Phelps) 96
Isolation of campylobacters in geese (F. Aydin, H.I. Atabay & M. Akan) 637
Isolation of *Legionella* (E. Leoni & P.P. Legnani) 27

Kinetic study of exopolysaccharide production (N. Gorret, J.L. Maubois, M. Ghoul & J.M. Engasser) 779

Lactic acid bacteria from oral cavity (S. Sookkhee, M. Chulasiri & W. Prachyabrued) 172
Lactic microflora of fermented sausages (E. Parente, S. Grieco & M.A. Crudele) 943
Lactobacilli and yeast viability (K.C. Thomas, S.H. Hynes & W.M. Ingledew) 819
Lactobacillus delbrueckii ssp. differentiation (V. Miteva, I. Boudakov, G. Ivanova-Stoyancheva, B. Marinova, V. Mitev & J. Mengaud) 909
Lactococcus garvieae bacteriocin (F. Villani, M. Aponte, G. Blaiotta, G. Mauriello, O. Pepe & G. Moschetti) 430
Lipase-catalysed acetylation/deacetylation reactions and ester synthesis (R. Gulati, A. Bhattacharya, A.K. Prasad, R. Gupta, V.S. Parmar & R.K. Saxena) 609
Lipase-encoding genes in *Ps. fluorescens* (C.-A. Beven, M. Dieckelmann & I.R. Beacham) 979
Listerial adhesion to surfaces (M.R. Beresford, P.W. Andrew & G. Shama) 1000
Loss of complement resistance in *E. coli* (C. Ocaña-Morgner & J.R. Dankert) 771

Membrane ISH using PNA probes (H. Perry-O'Keefe, H. Stender, A. Broomer, K. Oliveira, J. Coull & J.J. Hyldig-Nielsen) 180
Methods for differentiating *Camp. fetus* subspecies (S.L.W. On & C.S. Harrington) 285
Microbial diversity occurring of Mozzarella cheese (S. Coppola, G. Blaiotta, D. Ercolini & G. Moschetti) 414
Micro-organisms and SO_2 binding (J.-C. Barbe, G. de Revel, A. Joyeux, A. Bertrand & A. Lonvaud-Funel) 34
Mimotypes for aflatoxin B1 in serological reactivity (K. Thirumala-Devi, J.S. Miller, G. Reddy, D.V.R. Reddy & M.A. Mayo) 330
Multi-factorial approach to study EPS production (N. Gorret, J.L. Maubois, J.M. Engasser & M. Ghoul) 788
Multiple quality indices for cold-smoked salmon (F. Leroi, J.J. Joffraud, F. Chevalier & M. Cardinal) 578

Necrosis and/or programmed death in *H. pylori* (L. Cellini, I. Robuffo, N.M. Maraldi & G. Donelli) 727
Neutral volatile compounds produced by lactic acid bacteria (G. Mauriello, L. Moio, G. Moschetti, P. Piombino, F. Addeo & S. Coppola) 928
Nutritional requirements of *Lact. fermentum* (M. Calderon, G. Loiseau & J.P. Guyot) 508

Patterns of infection in house mice (M.J.O. Pocock, J.B. Searle, W.B. Betts & P.C.L. White) 755
PCR detection of antibiotic resistance (J.E. Moore, B.C. Millar, X. Yongmin, N. Woodford, S. Vincent, C.E. Goldsmith, R.B. McClurg, M. Crowe, R. Hone & P.G. Murphy) 719
pH drop by oral lactobacilli (M.C. Badet, B. Richard & G. Dorignac) 1015
Phylogenetic analysis of *Bacillus thuringiensis* (K.-B. Joung & J.-C. Côté) 115
Polar lipids of oral yeasts (A. Zarei Mahmoudabadi, V. Boote & D.B. Drucker) 668
Production of glucose oxidase production in batch cultivation (A. Kapat, J.-K. Jung & Y.-H. Park) 216
Proline iminopeptidase from *Corynebacterium variabilis* (M. Gobbetti, E. Smacchi, M. Semeraro, P.F. Fox, R. Lanciotti & T. Cogan) 449
Proteinases of thermophilic lactobacilli (D. Fira, M. Kojic, A. Banina, I. Spasojevic, I. Strahinic & L. Topisirovic) 123
Pseudomonas and biocontrol (D.C. Naseby, J.A. Way, N.J. Bainton & J.M. Lynch) 421
Pseudomonas in lysimeter water (C. Hase, J. Nievergelt, Y. Moënne-Loccoz & G. Défago) 567
Puroindoline-a production by *Pichia pastoris* (N. Issaly, O. Solsona, P. Joudrier, M.F. Gautier, G. Moulin & H. Boze) 397

Rapid anti-*Streptococcus mutans* evaluation (T.D. Morgan, A.E. Beezer, J.C. Mitchell & A.W. Bunch) 53
Rapid detection of *Listeria* in ham (J.A. Hudson, R.J. Lake, M.G. Savill, P. Scholes & R.E. McCormick) 614
Rapid methods for DSP toxin detection (L. Croci, A. Stacchini, L. Cozzi, G. Ciccaglioni, F. Mazzei, F. Botrè & L. Toti) 73
Resistant starch synbiotic yoghurt (R.G. Crittenden, L.F. Morris, M.L. Harvey, L.T. Tran, H.L. Mitchell & M.J. Playne) 268
Response of biofilm to shear stress (Y. Liu & J.-H. Tay) 337
Rhizobia of chickpea from Portugal (M. Laranjo, R. Rodrigues, L. Alho & S. Oliveira) 662
Role of L-aspartic acid in *O. œni* (Y. Vasserot, C. Dion, E. Bonnet, A. Maujean & P. Jeandet) 380
Ropy *Ped. damnosus* strain detection (E. Gindreau, E. Walling & A. Lonvaud-Funel) 535
RT-PCR for virus detection in mussels (N. Casas & E. Suñén) 89

Salmonella epidemiology (I. Giovannacci, S. Queguiner, C. Ragimbeau, G. Salvat, J.L. Vendeuvre, V. Carlier & G. Ermel) 131
Sporulation conditions, heat resistance and injury of spoilage bacilli (A.E. Cazemier, S.F.M. Wagenaars & P.F. ter Steeg) 761
STEC in dairy products (P. Fach, S. Perelle, F. Dilasser & J. Grout) 809
Streptomyces L-form bacteria (C.M.J. Innes & E.J. Allan) 301
Streptomyces sp. endochitinase active against phytopathogenic fungi (R.C. Gomes, L.T.A.S. Sêmedo, R.M.A. Soares, L.F. Linhares, C.J. Ulhoa, C.S. Alviano & R.R.R. Coelho) 653
Stress tolerance induction by extracellular alarmones (R.J. Rowbury) 677
Survival of different species of *Campylobacter* (K. Obiri-Danso, N. Paul & K. Jones) 256
Survival of *E. coli* O157:H7 in cheese (M.M. Maher, K.N. Jordan, M.E. Upton & A. Coffey) 201
Susceptibility to Oleozon of different bacteria (L.A. Sechi, I. Lezcano, N. Nunez, M. Espim, I. Duprè, A. Pinna, P. Molicotti, G. Fadda & S. Zanetti) 279

Thermal resistance and antibiotic *L. monocytogenes* (D. Walsh, J.J. Sheridan, G. Duffy, I.S. Blair, D.A. McDowell & D. Harrington) 555
Thermophilic bacilli on stainless steel (S.G. Parkar, S.H. Flint, J.S. Palmer & J.D. Brooks) 901
Thermophilic *Campylobacter* spp. identification (I. Steinhauserova, J. Èeškova, K. Fojtikova & I. Obrovska) 470
Toxic potential of *B. thuringiensis* on Diptera larvae (I. Saadoun, F. Al-Momani, M. Obeidat, M. Meqdam & A. Elbetieha) 866
Transamination of methionine by mesophilic lactobacilli (F. Amarita, T. Requena, G. Taborda, L. Amigo & C. Pelaez) 971
Tyrosine pigments in *Yarrowia lipolytica* (A. Carreira, L.M. Ferreira & V. Loureiro) 372

Xanthan production from different OMW (M.J. López, J. Moreno & A. Ramos-Cormenzana) 829
Xylanase expression in *E. coli* (P. Basaran, Y.D. Hang, N. Basaran & R.W. Worobo) 248

Yeast adaptation (J.N. Nigam) 208
Yersinia enterocolitica PCR fingerprinting (J.T. Gray, M. WaKabongo, F.E. Campos, A.A. Diallo, C. Tyndal & C.A. Tucker) 358